applied surface science

Contents

Volume 244 (2005) Nos. 1–4

Preface
J. Temmyo, M. Tabe, Y. Nakanishi and Y. Fukuda 1

Hydrogen and helium interactions in Si: phenomena obscure and not-so-obscure
S. Ashok 2

A new crystallization technique of Si films on glass substrate using thermal plasma jet
H. Kaku, S. Higashi, H. Taniguchi, H. Murakami and S. Miyazaki 8

Formation of microcrystalline germanium (μc-Ge:H) films from inductively coupled plasma CVD
Y. Okamoto, K. Makihara, S. Higashi and S. Miyazaki 12

Crystallization process of high-k gate dielectrics studied by surface X-ray diffraction
N. Terasawa, K. Akimoto, Y. Mizuno, A. Ichimiya, K. Sumitani, T. Takahashi, X.W. Zhang, H. Sugiyama, H. Kawata, T. Nabatame and A. Toriumi 16

Influence of thickness of Hf buffer layer on the interfacial structures of sputtered HfO_2 on SiO_2/Si
R. Tan, Y. Azuma and I. Kojima 21

Enhancement of donor ionization in phosphorus-doped n-diamond
Y. Koide 26

Tight-binding quantum chemical molecular dynamics simulation of boron activation process in crystalline silicon
T. Masuda, K. Sasata, M. Elanany, M. Koyama, M. Kubo and A. Miyamoto 30

Tight-binding quantum chemical molecular dynamics simulation of mechano-chemical reactions during chemical–mechanical polishing process of SiO_2 surface by CeO_2 particle
A. Rajendran, Y. Takahashi, M. Koyama, M. Kubo and A. Miyamoto 34

Influence of substrate dc bias on crystallinity of silicon films grown at a high rate from inductively-coupled plasma CVD
N. Kosku, H. Murakami, S. Higashi and S. Miyazaki 39

Thermal redistribution of hydrogen and boron in SiO_2 in SiN-capped p-type MOSFET structures
Y. Kawashima, S. Aoyagi and M. Kudo 43

Electrical and mechanical properties of surfactant-templated mesoporous silica thin films using Brij-76 surfactant
S.-B. Jung, C.-K. Han and H.-H. Park 47

Evidence of refractive index change in glass substrates induced by high-density reactive ion plating deposition of SiO_2 films
J. Mistrik, I. Ohlidal, R. Antos, M. Aoyama and T. Yamaguchi 51

Strain relaxation near high-k/Si interface by post-deposition annealing
T. Emoto, K. Akimoto, Y. Yoshida, A. Ichimiya, T. Nabatame and A. Toriumi 55

Diffusion of Li in the silicon oxide films and evaluation of Li-induced surface potential
M. Maeda, T. Watanabe, Y. Imai, Y. Ishikawa and M. Tabe 61

Surface elemental segregation and the Stranski–Krastanow epitaxial islanding transition
A.G. Cullis, D.J. Norris, M.A. Migliorato and M. Hopkinson 65

Surface-related reduction of photoluminescence in GaAs quantum wires and its recovery by new passivation
N. Shiozaki, S. Anantathanasarn, T. Sato, T. Hashizume and H. Hasegawa 71

Control of the nucleation density of Si quantum dots by remote hydrogen plasma treatment
K. Makihara, H. Deki, H. Murakami, S. Higashi and S. Miyazaki 75

Optical effects in silica glass during implantation of 60 keV Cu^- ions
O.A. Plaksin, Y. Takeda, K. Kono, H. Amekura, N. Umeda and N. Kishimoto 79

Study on ECR dry etching and selective MBE growth of AlGaN/GaN for fabrication of quantum nanostructures on GaN (0 0 0 1) substrates
T. Oikawa, F. Ishikawa, T. Sato, T. Hashizume and H. Hasegawa 84

Control of photoluminescence wavelength from uniform InAs quantum dots by annealing
Y. Kobayashi and K. Yamaguchi 88

(Contents continued on page L)

0169-4332(20050515)244:1/4;1-W

(*Continued from outside back cover*)

Changes in the electronic energy structure of CdSe nanocrystals of close-packed array by in situ anneal
H.-J. Choi, J.-K. Yang, S. Yoon and H.-H. Park 92

Growth of ZnS nanocombs with ZnO sheath by thermal evaporation
M.Y. Lu, P.Y. Su, Y.L. Chueh, L.J. Chen and L.J. Chou 96

Growth of In_2O_3 nanocrystal chains by a vapor transport and condensation method
C.L. Hsin, J.H. He and L.J. Chen 101

Nano-scale Cu metal patterning by using an atomic force microscope
Y. Tomita, Y. Hasegawa and K. Kobayashi 107

Characterization of amorphous carbon film-coated nanotubes as electron field emission material
M. Nagatsu, T. Yoshida, S. Kurita and K. Murakami 111

Vacancy ordering in self-assembled erbium silicide nanowires on atomically clean Si(0 0 1)
W.C. Tsai, H.C. Hsu, H.F. Hsu and L.J. Chen 115

2D lattice formation by YAG:Nd laser on the surface of Ge single crystal
A. Medvid, Y. Fukuda, A. Michko, P. Onufrievs and Y. Anma 120

Carbon nanotube adsorbed on hydrogenated Si(0 0 1) surfaces
R.H. Miwa, W. Orellana and A. Fazzio 124

Atomic-scale theoretical investigations of compound semiconductor surfaces
G.P. Srivastava 129

Sb adsorption onto In nanocluster array structure formed on a Si(1 1 1)–(7×7)
M. Saito, C. Takeuchi, M. Mori, T. Tambo and C. Tatsuyama 137

Inclined N_2 desorption in N_2O decomposition on Rh(1 1 0)
T. Matsushima, K. Imamura, H. Horino, A. Hiratsuka, Y.-S. Ma, I.I. Rzeznicka and O. Nakagoe 141

Reflection high-energy positron diffraction study of a Si(0 0 1) surface
K. Hayashi, Y. Fukaya, A. Kawasuso and A. Ichimiya 145

Positron diffraction study of SiC(0 0 0 1) surface
A. Kawasuso, M. Maekawa, M. Yoshikawa and A. Ichimiya 149

Surface structure and electronic states of sulfur-treated InP(1 1 1)A studied by LEED, AES, STM, and IPES
M. Shimomura, Y. Sano, N. Sanada, L.L. Cao and Y. Fukuda 153

The geometry of Bi nanolines on Si(0 0 1)
R.H. Miwa, J.M. MacLeod, G.P. Srivastava and A.B. McLean 157

STM observation of Bi line structures on the Si(1 0 0) surface with Ag deposition
T. Itoh, S. Kashirajima, M. Naitoh, S. Nishigaki and F. Shoji 161

Observation of Si(1 1 1)-$\sqrt{3} \times \sqrt{3}$-Ag surface at room temperature by reflection high-energy positron diffraction
Y. Fukaya, A. Kawasuso, K. Hayashi and A. Ichimiya 166

An empirical potential approach to structural stability of GaN_xAs_{1-x} thin films on GaAs(1 1 1)
T. Ito, T. Suda, T. Akiyama and K. Nakamura 170

Photoemission spectroscopy study of the oxidation of HfC(1 0 0)
K. Edamoto, Y. Shirotori, T. Sato and K. Ozawa 174

An ab initio-based approach to Ga adatom migration on GaAs(n 1 1)A–(0 0 1) non-planar surfaces
T. Ito, K. Asano, T. Akiyama, K. Nakamura, K. Shiraishi and A. Taguchi 178

An empirical potential approach to dislocation formation and structural stability in GaN_xAs_{1-x}
K. Kawamoto, T. Suda, T. Akiyama, K. Nakamura and T. Ito 182

Theoretical investigation of phase transition on GaAs(0 0 1)-c(4×4) surface
H. Ishizaki, T. Akiyama, K. Nakamura, K. Shiraishi, A. Taguchi and T. Ito 186

Theoretical study on hydrogen reaction processes on H/Si(0 0 1) surface
N. Takahashi, J. Nara, T. Uda, Y. Nakamura, Y. Tateyama and T. Ohno 190

Theoretical study on the electronic and molecular properties of ground and excited states of ethylenedioxythiophene and styrenesulphonic acid
G. Agalya, C. Lv, X. Wang, M. Koyama, M. Kubo and A. Miyamoto 195

Measurements of critical micelle concentration (CMC) using optical fiber covered with porous sol–gel cladding
H. Isobe, C.D. Singh, H. Katsumata, H. Suzuki, T. Fujinami and M. Ogita 199

Formation of pores in Ge single crystal by laser radiation
A. Medvid', A. Mychko, A. Krivich and P. Onufrijevs 203

Obliquely deposited metal films for polarizers
Y. Takeda, N. Takeuchi, T. Fukano and T. Motohiro 209

Modelling of columnar growth in continuum ballistic deposition
Y. Enomoto and M. Taguchi 213

Preparation and characterization of Rhodamine B and Alq_3 thin films deposited by solution jet beam method
Y. Okabayashi, T. Mitarai, S. Yamazaki, R. Matsuyama, K. Kanai, Y. Ouchi and K. Seki 217

Spectroscopic ellipsometry on sinusoidal surface-relief gratings
R. Antos, I. Ohlidal, D. Franta, P. Klapetek, J. Mistrik, T. Yamaguchi and S. Visnovsky 221

Spectroscopic ellipsometry on lamellar gratings
R. Antos, I. Ohlidal, J. Mistrik, K. Murakami, T. Yamaguchi, J. Pistora, M. Horie and S. Visnovsky 225

Depth profiling of the strain distribution in the surface layer using X-ray diffraction at small glancing angle of incidence
Y. Fujii, E. Yanase and K. Arai 230

Determination of interface roughness of Gd films deposited on Si surface using improved wavelet transform of X-ray reflectivity data
O. Starykov and K. Sakurai 235

Preparation of pure boron coating film and its characterization by XPS and TDS
M. Oyaidzu, A. Yoshikawa, H. Kodama, Y. Oya, A. Sagara, N. Noda and K. Okuno 240

Influence of reacting nitrogen gas consistence on the properties of TiN films prepared by rf. magnetron sputtering
Y. Pihosh, M. Goto, A. Kasahara, T. Oishi and M. Tosa 244

Microstructures and mechanical properties evaluation of hard chromized austenitic Fe–Mn–Al alloys
J.-W. Lee 248

Corrosion and cell adhesion behavior of TiN-coated and ion-nitrided titanium for dental applications
H.-H. Huang, C.-H. Hsu, S.-J. Pan, J.-L. He, C.-C. Chen and T.-L. Lee 252

Local electronic and chemical structure at GaN, AlGaN and SiC heterointerfaces
L.J. Brillson, S.T. Bradley, S.H. Tumakha, S.H. Goss, X.L. Sun, R.S. Okojie, J. Hwang and W.J. Schaff 257

Characterisation of amorphous GaN films
J.B. Metson, B.J. Ruck, F. Budde, H.J. Trodahl, A. Bittar and K.E. Prince 264

Effect of treatments of sapphire substrate on growth of GaN film
M. Sumiya and S. Fuke 269

Pt Schottky diode gas sensors formed on GaN and AlGaN/GaN heterostructure
K. Matsuo, N. Negoro, J. Kotani, T. Hashizume and H. Hasegawa 273

Photoemission study on interfacial reaction of Ti/n-type GaN
T. Naono, J. Okabayashi, S. Toyoda, H. Fujioka, M. Oshima and H. Hamamatsu 277

In situ X-ray diffraction study of crystallization process of GeSbTe thin films during heat treatment
N. Kato, I. Konomi, Y. Seno and T. Motohiro 281

High-resolution TEM characterization of MOVPE-grown (1 1 1)-BP layer on hexagonal 6H (0 0 0 1)-SiC
T. Udagawa, M. Odawara and G. Shimaoka 285

Morphological investigation of double positioning growth of (1 1 1)-boron phosphide (BP) on the (0 0 0 1)-GaN
M. Odawara, T. Udagawa and G. Shimaoka 289

Incorporation of SiO_2 for the band alignment control of Gd_2O_3/*n*-GaAs(0 0 1) structure
J.-K. Yang and H.-H. Park 293

Influence of Si_3N_4 and ZnS films on transmittance of InAsSb/InAsPSb heterostructures
Y.Z. Gao, X.Y. Gong, W.Z. Fang, H.Y. Deng, G.J. Hu, M. Aoyama, T. Yamaguchi and N. Dai 297

Oxidization process of CVD diamond (1 0 0):H 2×1 surfaces
J. Nakamura and T. Ito 301

Growth and characterization of P-doped CVD diamond (1 1 1) thin films homoepitaxially grown using trimethylphosphine
H. Wada, T. Teraji and T. Ito 305

Electrical properties of diamond *p–i–p* structures at high electric fields
M. Yamamoto, T. Watanabe, M. Hamada, T. Teraji and T. Ito 310

Formation of wide and narrow optical-band-gap amorphous-CN_x:H films using *i*-C_4H_{10}/N_2 supermagnetron plasma
H. Kinoshita, R. Ikuta and K. Sakurai 314

Optical and structural properties of CVD-grown single crystal SiO_2 using optically detected XAS
T. Nakamura, N. Takahashi, N.R.J. Poolton and A.E.R. Malins 318

Structural defects in SiO_2/SiC interface probed by a slow positron beam
M. Maekawa, A. Kawasuso, Z.Q. Chen, M. Yoshikawa, R. Suzuki and T. Ohdaira 322

Growth and morphological properties of β-$FeSi_2$ layers
S. Tanaka, A. Yamamoto, S. Makiuchi, T. Matsuyama, M. Rebien, W. Henrion, H. Tatsuoka, M. Tanaka, Z.-Q. Liu and H. Kuwabara 326

Growth and structural properties of Mg_2Si and Ca_2Si bulk crystals
N. Takagi, Y. Sato, T. Matsuyama, H. Tatsuoka, M. Tanaka, C. Fengmin and H. Kuwabara 330

Chemical properties of an oxide nanoskin on a polymeric surface
A. Hozumi and N. Shirahata 334

Optical characterization of sol–gel deposited PZT thin films by spectroscopic ellipsometry and reflectometry in near-UV and visible regions
D. Franta, I. Ohlídal, J. Mistrík, T. Yamaguchi, G.J. Hu and N. Dai 338

Zn_3N_2 compensated ZnTe films and ZnTe–ZnSe superlattices grown by hot wall epitaxy
S. Sakakibara, Y. Inoue, H. Mimura, K. Ishino, A. Ishida and H. Fujiyasu 343

Control of Zn composition ($0 < x < 1$) in $Cd_{1-x}Zn_xTe$ epitaxial layers on GaAs substrates grown by MOVPE
K. Yasuda, M. Niraula, H. Kusama, Y. Yamamoto, M. Tominaga, K. Takagi and Y. Aagata 347

Improvement in the light emission characteristics of CdS:Cu/CdS diodes
H. Murai, T. Abe, J. Matsuda, H. Sato, S. Chiba and Y. Kashiwaba 351

Transport and magnetic properties of Ce-doped $LaMnO_3$ thin films
T. Yanagida, T. Kanki, B. Vilquin, H. Tanaka and T. Kawai 355

HRTEM observation of interface states between ZnO epitaxial film and Si(1 1 1) substrate
Y. Nakanishi, A. Miyake, H. Tatsuoka, H. Kominami, H. Kuwabara and Y. Hatanaka 359

Deposition and structural properties of piezoelectric ZnO epitaxial film on p-InP (1 0 0) substrate for FBAR
J.J. Lee, Y.B. Kim and Y.S. Yoon 365

Sb excimer-laser doping in ZnO films prepared by oxidation of sulfide on Si
K. Ohara, T. Seino, A. Nakamura, T. Aoki, H. Kominami, Y. Nakanishi and Y. Hatanaka 369

Homoepitaxial growth of ZnO films on ZnO (1120) substrates
Y. Kashiwaba, H. Kato, T. Kikuchi, I. Niikura, K. Matsushita and Y. Kashiwaba 373

Characterization of homoepitaxial and heteroepitaxial ZnO films grown by pulsed laser deposition
Z.Q. Chen, S. Yamamoto, A. Kawasuso, Y. Xu and T. Sekiguchi 377

Growth and characterization of $Zn_{1-x}Cd_xO$ films using remote plasma MOCVD
J. Ishihara, A. Nakamura, S. Shigemori, T. Aoki and J. Temmyo 381

Growth of $Mg_xZn_{1-x}O$ films using remote plasma MOCVD
A. Nakamura, J. Ishihara, S. Shigemori, T. Aoki and J. Temmyo 385

Nano-photocatalytic decomposition of a stearic acid film deposited on the TiO_2 by an atomic force microscope
K. Kobayashi, Y. Tomita, K. Matsuhisa and Y. Doi 389

Impact ionization phenomenon in single-crystalline rutile TiO_2
H. Hashimoto, T. Teraji and T. Ito 394

Titanium dioxide surface stoichiometry and ordering studied by resonant photoemission spectroscopy
S. Bourgeois, B. Domenichini, Z. Li and P.J. Møller 399

Reactivity between molybdenum and $TiO_2(1\,1\,0)$ surfaces: evidence of a sub-monolayer mode and a multilayer mode
B. Domenichini, P. Krüger, A. Brevet, S. Bourgeois, Z. Li and P.J. Møller 403

Photocatalytic chemisorption of water on titanium dioxide thin films obtained by radio frequency magnetron deposition
L. Sirghi, Y. Hatanaka and T. Aoki 408

Structural and compositional characterization of N_2–H_2 plasma surface-treated TiO_2 thin films
L. Miao, S. Tanemura, H. Watanabe, S. Toh and K. Kaneko 412

Effect of Mn coating materials of the nano-powders on phase transition of the nano-grained $BaTiO_3$ ceramics
M.-B. Park and N.-H. Cho 418

Control of chemical and electrical features near the grain boundary of the semiconducting $BaTiO_3$ oxides
M.-B. Park and N.-H. Cho 422

Optical properties of NiO thin films prepared by pulsed laser deposition technique
D. Franta, B. Negulescu, L. Thomas, P.R. Dahoo, M. Guyot, I. Ohlídal, J. Mistrík and T. Yamaguchi 426

Optical properties of rough $LaNiO_3$ thin films studied by spectroscopic ellipsometry and reflectometry
J. Mistrik, T. Yamaguchi, D. Franta, I. Ohlidal, G.J. Hu and N. Dai 431

Ultraviolet enhanced Si-photodetector using p-NiO films
J.-M. Choi and S. Im 435

Inverted top-emitting organic light-emitting diodes using transparent conductive NiO electrode
S.-W. Park, J.-M. Choi, E. Kim and S. Im 439

Electrical characteristics of V_2O_5 thin films formed on p-Si by sputter-deposition and rapid thermal annealing
M.H. Yoon and S. Im 444

Thickness dependence of optical properties of VO_2 thin films epitaxially grown on sapphire (0 0 0 1)
G. Xu, P. Jin, M. Tazawa and K. Yoshimura 449

Nanocrystalline WO_3 films prepared by two-step annealing
A.H. Jayatissa, A. Dadi and T. Aoki 453

Effect of La and Zn addition on Y_2O_3:Eu phosphors
S. Sakuma, H. Kominami, Y. Neo, T. Aoki, Y. Nakanishi and H. Mimura 458

Study of active surface centers in electroluminescent ZnS:Cu,Cl phosphors
M.M. Sychov, S.V. Mjakin, Y. Nakanishi, V.G. Korsakov, I.V. Vasiljeva, V.V. Bakhmetjev, O.V. Solovjeva and E.V. Komarov 461

Characterization on thermal stability of $ZnS:Mn^{2+}/MPS/SiO_2$ nano-phosphor film
H. Kubo, T. Isobe, H. Takahashi and S. Itoh 465

Preparation of CaS:Cu,F thin-film electroluminescent devices with an emission including purple region
S. Hakamata, M. Ehara, H. Kominami, Y. Nakanishi and Y. Hatanaka 469

Luminescent properties of $SrGa_2S_4$:Eu thin film phosphors deposited by two electron beam evaporation
Y. Arai, H. Kominami, Y. Nakanishi and Y. Hatanaka 473

Magnetic properties of $Fe_{70-x}Co_{30-y}N_{x+y}$ thin films
C.Y. Li and J.G. Duh 477

Investigation on transport properties of strained $La_{0.85}Ba_{0.15}MnO_3$ thin films using hall measurement
T. Kanki, T. Yanagida, B. Vilquin, H. Tanaka and T. Kawai 481

Magnetic domain wall structures in free-standing Fe(110) monolayers
Y. Takeda, K. Nakamura, T. Akiyama and T. Ito 485

Domain structures of nanocrystalline $Fe_{78}Si_{10}B_{12}$ thin films
Z.G. Sun, H. Kuramochi and H. Akinaga 489

Effect of Sr doping on $LaTiO_3$ thin films
B. Vilquin, T. Kanki, T. Yanagida, H. Tanaka and T. Kawai 494

Emission characteristics and application of semiconductor field emitters
H. Mimura, Y. Neo, H. Shimawaki, T. Matsumoto and K. Yokoo 498

Growth of ZnO and device applications
K. Iwata, H. Tampo, A. Yamada, P. Fons, K. Matsubara, K. Sakurai, S. Ishizuka and S. Niki 504

Atomic layer deposition in porous structures: 3D photonic crystals
J.S. King, D. Heineman, E. Graugnard and C.J. Summers 511

Microcavity effects and the outcoupling of light in displays and lighting applications based on thin emitting films
K. Neyts 517

Novel green thin-film electroluminescent devices utilizing ZnS nanocrystals doped with Tb compounds
T. Toyama, K. Yoshimura, M. Fujii, H. Haze and H. Okamoto 524

Metal–semiconductor interfaces in CdTe crystals and modification of their properties by laser pulses
V.A. Gnatyuk, T. Aoki, Y. Hatanaka and O.I. Vlasenko 528

Effects of Zn-doping on red-luminescence in Eu-doped (Mg,Ca)S phosphor films
S. Tokunaga and A. Mikami 533

Effect of ITO surface state to the aging characteristics of thin film OLED
Y. Fukushi, H. Kominami, Y. Nakanishi and Y. Hatanaka 537

Photocatalytic oxidation dynamics of acetone on TiO_2: tight-binding quantum chemical molecular dynamics study
C. Lv, X. Wang, G. Agalya, M. Koyama, M. Kubo and A. Miyamoto 541

Spectroscopic ellipsometry study on TiO_2 thin films modified by N_2–H_2 plasma surface treatment
S. Tanemura, L. Miao, H. Watanabe and Y. Mori 546

Photoresponse of surface oxygen defects on TiO_2(1 1 0)
M. Komiyama and Y.-J. Li 550

Photocatalytic characteristics of hydro-oxygenated amorphous titanium oxide films prepared using remote plasma enhanced chemical vapor deposition
Y. Hatanaka, H. Naito, S. Itou and M. Kando 554

Separation of nitrogen removal pathways in a steady-state NO + CO reaction on Pd(1 1 0): an angle-resolved desorption study
Y.-S. Ma, I.I. Rzeznicka and T. Matsushima 558

Chlorine gas sensors with high sensitivity using Mg-phthalocyanine thin films
T. Miyata and T. Minami 563

Effect of AZO film deposition conditions on the photovoltaic properties of AZO–Cu_2O heterojunctions
H. Tanaka, T. Shimakawa, T. Miyata, H. Sato and T. Minami 568

Unoccupied electronic band structure of conjugated molecular films interfacing polycrystalline gold surface
A. Komolov and P.J. Møller 573

Structure of mercaptoalcohol self-assembled monolayers on Au(1 1 1)
K. Tsukamoto, T. Kubo and H. Nozoye 578

Chain length dependence of adsorption structure of COOH-terminated alkanethiol SAMs on Au(1 1 1)
E. Ito, K. Konno, J. Noh, K. Kanai, Y. Ouchi, K. Seki and M. Hara 584

Study of thin films of carrier-doped strontium titanate with emphasis on their interfaces with organic thin films
N. Sato, Y. Harada, T. Terashima, R. Kanda and M. Takano 588

Energy level alignment at interfaces with pentacene: metals versus conducting polymers
N. Koch, A. Elschner, R.L. Johnson and J.P. Rabe 593

Large-scale calculations of solid oxide fuel cell cermet anode by tight-binding quantum chemistry method
M. Koyama, M. Kubo and A. Miyamoto 598

Fabrication of organic static induction transistors with higher order structures
J.C. Mathew, N. Hirashima, M. Nakamura, M. Iizuka and K. Kudo 603

Infrared spectroscopy of pentacene thin film on SiO_2 surface
Y. Hosoi, K. Okamura, Y. Kimura, H. Ishii and M. Niwano 607

Preparation and properties of bovine serum albumin thin films by pulsed laser deposition
J. Sagawa, S. Nagare and M. Senna 611

Structural and optical properties of 6,13-pentacenequinone film
D.K. Hwang, K. Kim, J.H. Kim, D.-Y. Jung, E. Kim and S. Im 615

Transparent ultra water-repellent poly(ethylene terephthalate) substrates fabricated by oxygen plasma treatment and subsequent hydrophobic coating
K. Teshima, H. Sugimura, Y. Inoue, O. Takai and A. Takano 619

The secondary structure control of silk fibroin thin films by post treatment
I. Taketani, S. Nakayama, S. Nagare and M. Senna 623

Electronic-state control of amino acids on semiconductor surfaces
M. Oda and T. Nakayama 627

Density functional theory studies on decomposition of ethyl-palladium complexes: an important role of cationic species
R. Raharintsalama, H. Munakata, M. Koyama, M. Kubo and A. Miyamoto 631

Development of new kinetic Monte Carlo simulator for hydrogen diffusion process in palladium–silver alloys
H. Kurokawa, K. Bada, M. Koyama, M. Kubo and A. Miyamoto 636

Computational chemistry study of solid and aqueous solution interface
U. Mart, C. Jung, M. Koyama, M. Kubo and A. Miyamoto 640

Periodic density functional and tight-binding quantum chemical molecular dynamics study of surface hydroxyl groups on ZrO_2(111)-supported Pt catalyst
C. Jung, M. Koyama, M. Kubo, A. Imamura and A. Miyamoto 644

Author Index I

Subject Index XI